


Wenzhou Sn-Joe Flow Tech Equipment Co., Ltd.

国标闸阀/GB Gate Valve




主要连接尺寸 Main Connection Dimensions

型号 Type	公称通径 DN(mm)	尺寸 Dimension(mm)							
		L	D	D ₁	D ₂	b-f	z-Φd	H	D ₀
H Z41W-10 Y H Z541W-10 Y H Z941W-10 Y	15	130	95	65	45	12-2	4-Φ14	185	120
	20	150	105	75	55	14-2	4-Φ14	200	120
	25	160	115	85	65	14-2	4-Φ14	225	140
	32	180	135	100	78	16-2	4-Φ18	275	160
	40	165	145	110	85	16-3	4-Φ18	290	160
	50	180	160	125	100	16-3	4-Φ18	345	200
	65	195	180	145	120	18-3	4-Φ18	360	220
	80	210	195	160	135	18-3	4-Φ18	380	240
	100	230	215	180	155	20-3	8-Φ18	430	280
	125	255	245	210	185	22-3	8-Φ18	520	300
	150	280	280	240	210	22-3	8-Φ23	600	320
	200	330	335	295	265	22-3	8-Φ23	765	400
	250	380	390	350	320	24-3	12-Φ23	930	450
	300	420	440	400	368	26-3	12-Φ23	1080	500
	350	450	500	460	428	26-4	16-Φ23	1200	500
	400	480	565	515	482	26-4	16-Φ35	1400	550
	450	510	615	565	532	26-4	20-Φ25	1500	600
	500	540	670	620	585	28-4	20-Φ25	1630	650
600	600	780	725	685	28-5	20-Φ30	1830	700	
700	660	895	840	800	30-5	24-Φ30	1930	750	

Wenzhou Sn-Joe Flow Tech Equipment Co., Ltd.

国标闸阀/GB Gate Valve




主要连接尺寸 Main Connection Dimensions

型号 Type	公称通径 DN(mm)	尺寸 Dimension(mm)							
		L	D	D ₁	D ₂	b-f	z-φd	H	D ₀
H Z41W-16 Y H Z541W-16 Y H Z941W-16 Y	15	130	95	65	45	14-2	4-φ14	185	120
	20	150	105	75	55	14-2	4-φ14	200	120
	25	160	115	85	65	14-2	4-φ14	225	140
	32	180	135	100	78	16-2	4-φ18	275	160
	40	200	145	110	85	16-3	4-φ18	295	200
	50	250	160	125	100	16-3	4-φ18	350	220
	65	265	180	145	120	18-3	4-φ18	370	240
	80	280	195	160	135	20-3	8-φ18	390	280
	100	300	215	180	155	20-3	8-φ18	435	300
	125	325	245	210	185	22-3	8-φ18	520	320
	150	350	280	240	210	24-3	8-φ23	610	350
	200	400	335	295	265	26-3	12-φ23	785	400
	250	450	405	355	320	30-3	12-φ25	930	450
	300	500	460	410	375	30-4	12-φ25	1080	500
	350	550	520	470	435	34-4	16-φ25	1200	550
	400	600	580	525	485	36-4	16-φ30	1400	600
	450	650	640	585	545	40-4	20-φ30	1500	650
	500	700	705	650	608	44-4	20-φ34	1630	700
600	800	840	770	718	48-5	20-φ41	1830	750	
700	900	910	840	788	50-5	24-φ41	1930	800	
800	1000	1020	950	898	52-5	24-φ41	2030	850	
900	1100	1120	1050	998	54-5	28-φ41	2130	900	
1000	1200	1255	1170	1110	56-5	28-φ48	2230	950	

E-mail: qiao@snjoe.com

Wenzhou Sn-Joe Flow Tech Equipment Co., Ltd.

国标闸阀/GB Gate Valve




主要连接尺寸 Main Connection Dimensions

型号 Type	公称通径 DN(mm)	尺寸 Dimension(mm)							
		L	D	D ₁	D ₂	b-f	z-Φd	H	D ₀
H Z41W-25 Y H Z541W-25 Y H Z941W-25 Y	15	130	95	65	45	16-2	4-Φ14	185	120
	20	150	105	75	55	16-2	4-Φ14	200	120
	25	160	115	85	65	16-2	4-Φ14	225	140
	32	180	135	100	78	18-2	4-Φ18	275	160
	40	200	145	110	85	18-3	4-Φ18	295	200
	50	250	160	125	100	20-3	4-Φ18	350	220
	65	265	180	145	120	22-3	8-Φ18	370	240
	80	280	195	160	135	22-3	8-Φ18	390	280
	100	300	230	190	160	24-3	8-Φ23	435	300
	125	325	270	220	188	28-3	8-Φ25	520	320
	150	350	300	250	218	30-3	8-Φ25	610	350
	200	400	360	310	278	34-3	12-Φ25	785	400
	250	450	425	370	332	36-3	12-Φ30	930	450
	300	500	485	430	390	40-4	16-Φ30	1080	500
	350	550	550	490	448	44-4	16-Φ34	1250	550
	400	600	610	550	505	48-4	16-Φ34	1430	600
	450	650	660	600	555	50-4	20-Φ34	1520	650
500	700	730	660	610	52-4	20-Φ41	1650	700	
600	800	840	770	718	56-5	20-Φ41	1850	750	
700	900	955	875	815	60-5	24-Φ48	1950	800	
800	1000	1070	990	930	64-5	24-Φ48	2050	850	
900	1100	1180	1090	1025	66-5	28-Φ54	2150	900	
1000	1200	1305	1210	1140	68-5	28-Φ58	2250	950	

Wenzhou Sn-Joe Flow Tech Equipment Co., Ltd.

国标闸阀/GB Gate Valve




主要连接尺寸 Main Connection Dimensions

型号 Type	公称通径 DN(mm)	尺寸 Dimension(mm)								
		L	D	D ₁	D ₂	D ₆	b-f	f ₁	z-Φd	H
Z41W-40 ^H _Y Z541W-40 ^H _Y Z941W-40 ^H _Y	15	130	95	65	45	40	16-2	4	4-Φ14	185
	20	150	105	75	55	51	16-2	4	4-Φ14	200
	25	160	115	85	65	58	16-2	4	4-Φ14	225
	32	180	135	100	78	66	18-2	4	4-Φ18	275
	40	200	145	110	85	76	18-3	4	4-Φ18	295
	50	250	160	125	100	88	20-3	4	4-Φ18	350
	65	280	180	145	120	110	22-3	4	8-Φ18	370
	80	310	195	160	135	121	22-3	4	8-Φ18	390
	100	350	230	190	160	150	24-3	4.5	8-Φ23	435
	125	400	270	220	188	176	28-3	4.5	8-Φ25	520
	150	450	300	250	218	204	30-3	4.5	8-Φ25	610
	200	550	375	320	282	260	38-3	4.5	12-Φ30	970
	250	650	445	385	345	313	42-3	4.5	12-Φ34	930
	300	750	510	450	408	364	46-4	4.5	16-Φ34	1080
	350	850	570	510	465	422	52-4	5	16-Φ34	1250
	400	950	655	585	535	474	58-4	5	16-Φ41	1430
450	1050	680	610	560	524	60-4	5	20-Φ41	1520	
500	1150	755	670	612	576	62-4	5	20-Φ48	1650	
600	1350	890	795	730	678	62-5	6	20-Φ54	1850	

E-mail: qiao@snjoe.com

Wenzhou Sn-Joe Flow Tech Equipment Co., Ltd.

国标闸阀/GB Gate Valve



主要连接尺寸 Main Connection Dimensions

型号 Type	公称通径 DN(mm)	尺寸 Dimension(mm)								
		L	D	D1	D2	D6	b-f	f1	z-φd	H
Z41W-64 Z541W-64 Z941W-64	15	170	105	75	55	40	18-2	4	4-φ14	185
	20	190	125	90	68	51	20-2	4	4-φ18	200
	25	210	135	100	78	58	22-2	4	4-φ18	225
	32	230	150	110	82	66	24-2	4	4-φ23	280
	40	240	165	125	95	76	24-3	4	4-φ23	300
	50	250	175	135	105	88	26-3	4	4-φ23	360
	65	280	200	160	130	110	28-3	4	8-φ23	385
	80	310	210	170	140	121	30-3	4	8-φ23	400
	100	350	250	200	168	150	32-3	4.5	8-φ25	450
	125	400	295	240	202	176	36-3	4.5	8-φ30	540
	150	450	340	280	240	204	38-3	4.5	8-φ34	630
	200	550	405	345	300	260	44-3	4.5	12-φ34	820
	250	650	470	400	352	313	48-3	4.5	12-φ41	960
	300	750	530	460	412	364	54-4	4.5	16-φ41	1130
	350	850	595	525	475	422	60-4	5	16-φ41	1300
	400	950	670	585	525	474	66-4	5	16-φ48	1450
	450	1050	715	630	570	524	70-4	5	20-φ48	1550
	500	1150	800	705	640	576	70-4	5	20-φ54	1680
600	1350	930	820	750	678	76-5	6	20-φ58	1900	